

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 30-Nov-2024 **Revision Number 4** 

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

1.1. Product identifier

**Product Description:** Lanthanum chloride, Releasing Agent Solution, Specpure®

Cat No.: 39036

Molecular Formula 1% La (as La2 O3) in 2% HCI

1.2. Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemicals. Recommended Use Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

begel.sdsdesk@thermofisher.com E-mail address

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

**Poison Centre - Emergency** 

Ireland: National Poisons Information Centre (NPIC) information services

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

#### Lanthanum chloride, Releasing Agent Solution, Specpure®

Revision Date 30-Nov-2024

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 2 (H315) Category 2 (H319)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



**Signal Word** 

Warning

#### **Hazard Statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H319 - Causes serious eye irritation

#### **Precautionary Statements**

P390 - Absorb spillage to prevent material damage

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	96.83	-
Hydrochloric acid	7647-01-0	231-595-7	2.00	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)
Lanthanum oxide (La2O3)	1312-81-8	EEC No. 215-200-5	1.17	<u>-</u>

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrochloric acid	Skin Corr. 1B :: C>=25%	-	-

#### Lanthanum chloride, Releasing Agent Solution, Specpure®

Skin Irrit. 2 :: 10%<=C<25%	
Eye Irrit. 2 :: 10%<=C<25%	
STOT SE 3 :: C>=10%	
Met. Corr. 1 :: C>=0.1%	

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Not combustible.

#### Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

## **Hazardous Combustion Products**

Hydrogen chloride, Lanthanum oxide.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Lanthanum chloride, Releasing Agent Solution, Specpure®

Revision Date 30-Nov-2024

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 12 Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Hydrochloric acid	STEL: 5 ppm 15 min	TWA: 5 ppm 8 hr	TWA: 8 mg/m <sup>3</sup> 8 hr. F

#### Lanthanum chloride, Releasing Agent Solution, Specpure®

 STEL: 8 mg/m³ 15 min
 TWA: 8 mg/m³ 8 hr
 TWA: 5 ppm 8 hr.

 TWA: 1 ppm 8 hr
 STEL: 10 ppm 15 min
 STEL: 10 ppm 15 min

 TWA: 2 mg/m³ 8 hr
 STEL: 15 mg/m³ 15 min
 STEL: 15 mg/m³ 15 min

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Lanthanum oxide (La2O3)				DNEL = 8.75mg/kg
1312-81-8 ( 1.17 )				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydrochloric acid 7647-01-0 ( 2.00 )	DNEL = 15mg/m <sup>3</sup>		DNEL = 8mg/m <sup>3</sup>	
Lanthanum oxide (La2O3) 1312-81-8 ( 1.17 )				DNEL = 61.5mg/m <sup>3</sup>

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Lanthanum oxide (La2O3)	PNEC = 10mg/L	PNEC = 15.5mg/kg	PNEC = 1mg/L	PNEC = 100mg/L	PNEC = 18.9mg/kg
1312-81-8 ( 1.17 )	_	sediment dw		_	soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Lanthanum oxide (La2O3)	PNEC = 1mg/L	PNEC = 15.5mg/kg		PNEC = 156mg/kg	
1312-81-8 ( 1.17 )		sediment dw		food	

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	<b>EU standard</b> EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

ALFAA39036

Page 5/12

## Lanthanum chloride, Releasing Agent Solution, Specpure®

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 30-Nov-2024

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Particulates filter conforming

Liquid

to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

No information available. **Environmental exposure controls** 

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Liquid **Physical State** 

Clear **Appearance** 

Odor No information available **Odor Threshold** No data available Melting Point/Range No data available **Softening Point** No data available No information available **Boiling Point/Range** Flammability (liquid) No data available

Flammability (solid,gas) Not applicable No data available

**Explosion Limits** 

Flash Point No information available Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available

No information available Ha No data available **Viscosity** 

Water Solubility Miscible

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

23 hPa @ 20 °C **Vapor Pressure Density / Specific Gravity** No data available

**Bulk Density** Not applicable Liquid Vapor Density No data available (Air = 1.0)**Particle characteristics** Not applicable (liquid)

9.2. Other information

1% La (as La2 O3) in 2% HCI Molecular Formula

Lanthanum chloride, Releasing Agent Solution, Specpure®

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

Hydrogen chloride. Lanthanum oxide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat)1 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

ALFAA39036

Lanthanum chloride, Releasing Agent Solution, Specpure®

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

**Target Organs** No information available.

No data available (j) aspiration hazard;

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrochloric acid	282 mg/L LC50 96 h Gambusia	56mg/L EC50 72h Daphnia	-
	affinis	-	
	mg/L LC50 48 h Leucscus idus		

Component	Microtox	M-Factor
Hydrochloric acid	-	

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

based on information available, May persist. **Persistence** 

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

treatment plant

water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information** 

**ALFAA39036** 

Lanthanum chloride, Releasing Agent Solution, Specpure®

, , , , , ,

12.7. Other adverse effects
Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

Revision Date 30-Nov-2024

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**14.1. UN number** UN3264

**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (HYDROCHLORIC ACID)

14.3. Transport hazard class(es) 8 14.4. Packing group III

<u>ADR</u>

**14.1. UN number** UN3264

**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (HYDROCHLORIC ACID)

14.3. Transport hazard class(es) 8
14.4. Packing group III

IATA

**14.1. UN number** UN3264

**14.2. UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (HYDROCHLORIC ACID)

14.3. Transport hazard class(es) 8
14.4. Packing group III

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods according to IMO instruments

## **SECTION 15: REGULATORY INFORMATION**

## Lanthanum chloride, Releasing Agent Solution, Specpure®

Revision Date 30-Nov-2024

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	Х	X	KE-35400	Х	-
Hydrochloric acid	7647-01-0	231-595-7	-	-	Х	X	KE-20189	X	X
Lanthanum oxide (La2O3)	1312-81-8	215-200-5	-	-	Х	Х	KE-21836	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	Х	ı	X	Χ	Х
Hydrochloric acid	7647-01-0	Х	ACTIVE	Х	-	X	Х	Х
Lanthanum oxide (La2O3)	1312-81-8	Х	ACTIVE	Х	-	X	Х	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrochloric acid	7647-01-0	-	Use restricted. See entry 75. (see link for restriction details)	-
Lanthanum oxide (La2O3)	1312-81-8	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	25 tonne	250 tonne
Lanthanum oxide (La2O3)	1312-81-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

Lanthanum chloride, Releasing Agent Solution, Specpure®

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrochloric acid	WGK1	
Lanthanum oxide (La2O3)	nwg	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
Hydrochloric acid	Prohibited and Restricted			
7647-01-0 ( 2.00 )	Substances			

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

**ALFAA39036** 

#### Lanthanum chloride, Releasing Agent Solution, Specpure®

\_\_\_\_\_

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
On basis of test data
Health Hazards
Calculation method
Environmental hazards
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 30-Nov-2024 Revision Summary Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ALFAA39036